

**From:** [CommunicationsModule@epa.gov](mailto:CommunicationsModule@epa.gov)  
**To:** [Nolan, Michelle](#)  
**Cc:** [Kothapalli, Hindu](#); [Maisheri, Sweta](#); [OPP PRD RRLabels](#); [oppcommunications](#)  
**Subject:** Incoming CDX Submission Notification - RRL for Case RegRev-0328-1 (Telone)  
**Date:** Thursday, August 26, 2021 4:31:35 PM

---

- Environment: PRODUCTION
- Application Name: ELOADER
- Notification Description : INCOMING CDX SUBMISSION NOTIFICATION - PRD (PRISM008)
- Initiated By:
- Triggered: 08/26/2021 04:31 PM

**NOTIFICATION:**

- CDX Submission Number: CDX\_RRL\_2021\_003773
- Case Number: RegRev-0328-1
- Company Number: 95290
- Company Name: SALT LAKE HOLDING LLC
- Chemical Name: Telone
- Submitted Date: 26-AUG-21
- Submitter Name: Oliver Pelz
- ReSubmission: No

**Following documents have been received for this submission.**

Document Name	Document Type	Documentum Link
8570-1_forCordonTechnical_95290-7.pdf	Form	<a href="#">Open In Documentum</a>
95290-7 cover letter.docx	Correspondence	<a href="#">Open In Documentum</a>
95290-7_FPL_CLEAN_Copy_CordonTech-07_25Aug21.docx	Label	<a href="#">Open In Documentum</a>
95290-7_FPL_MARKUP_Copy_CordonTech-07_25Aug21.docx	Label	<a href="#">Open In Documentum</a>
CoR_RRL_SALT LAKE HOLDING LLC_81402.pdf	Correspondence	<a href="#">Open In Documentum</a>

**Following Receipts were created in OPPIN for this submission.**

Receipt#	Reg#	Decision#	Organization	Team Name	Risk Manager
1074330	95290-7	578099	RD	RM 21	Hope Johnson

**\*\* This is an automated email from Communications Module .\*\***



# Cordon™ Technical

EPA Reg. No. 95290-7

## Registration Notes:

**Source label text** based on EPA-accepted text dated March 28, 2011

1. Amended Label in accordance with the June 25, 2021 National Marine Fisheries Services (NMFS) Biological Opinions on the effects of the following pesticides on Pacific salmonids: 1,3-Dichloropropene (1,3-D).
2. Changes to the label to reflect Salt Lake Holding LLC's organizational information, registration numbers, trademark.

™Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

# Cordon™ Technical

## Soil Fumigant

### For Manufacturing Use Only

Active Ingredient:	(by weight)
1,3-dichloropropene .....	97.5%
Other Ingredients .....	2.5%
Total.....	100.0%

1 gallon of Cordon Technical weighs 10.15 lb at 70°F. Contains 9.85 lb of 1,3-dichloropropene per gallon.

## WARNING

### First Aid

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. If breathing is difficult, give oxygen. Call a poison control center or doctor for further treatment advice.

**If on skin or clothing:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a poison control center or doctor for treatment advice. If water is not immediately available, remove excess chemical from skin with adsorbent material such as towel or dry soil, then proceed at once to a location where water is available and thoroughly wash contaminated skin with plenty of water. Call a poison control center or doctor for treatment advice.

**If In eyes:** Immediately flush eyes with plenty of water. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

**Note to physician:** Because rapid absorption may occur through lungs if product is aspirated and cause systemic effects, the decision to induce vomiting or not should be made by a physician. If lavage is performed, endotracheal and/or esophageal control is suggested. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.

---

### Precautionary Statements

---

#### Hazards to Humans and Domestic Animals

##### Hazardous Liquid and Vapor

- Do not breathe vapor. May be fatal if inhaled. May cause lung, liver, and kidney damage and respiratory system irritation upon prolonged contact.
- Do not swallow any of this product. May be fatal if swallowed.
- Do not get on skin or clothing. May be fatal if absorbed through the skin. Causes skin irritation and if confined skin burns.
- Do not get in eyes. Causes substantial, but temporary eye injury.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

- **Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.**
- **Remove contaminated clothing immediately and launder clothing before reuse. Dispose of items that cannot be decontaminated such as shoes, belts, and watchbands.**
- **The use of this product may be hazardous to your health. This product contains 1,3-dichloropropene, which has been determined to cause tumors in laboratory animals. Risks can be reduced by exactly following directions for use, precautionary statements, by wearing the personal protective equipment specified in this labeling.**

## Personal Protective Equipment (PPE)

**Respiratory Protection:** Maintain atmospheric levels below the NIOSH recommended exposure limit (REL). When NIOSH REL is exceeded, wear a NIOSH approved positive-pressure supplied-air respirator (NIOSH approval number prefix TC-19C). For emergency and other conditions where the NIOSH REL is exceeded by 200 times, use a NIOSH approved positive-pressure self-contained breathing apparatus (NIOSH approval number prefix TC-13F) or positive-pressure airline with auxiliary self-contained air supply (NIOSH approval number prefix TC-13F). In confined or poorly ventilated areas, use a NIOSH approved positive-pressure supplied-air respirator (NIOSH approval number prefix TC-19C).

**Skin Protection:** Use protective clothing impervious to this material. For short-term contact or splash protection against liquid in this product, select specific items such as gloves, boots, apron, or full-body suit constructed of saranex, neoprene, and chlorinated polyethylene. For longer-term protection select specific items such as gloves, boots, apron, or full-body suit constructed of viton, Teflon, and EVAL barrier laminates (for example, responder suits manufactured by Life-guard or Silvershield gloves manufactured by North). Where chemical-resistant materials are required, leather, canvas, or cotton materials offer no protection from this product and must not be worn when contact with this product is possible. Coveralls must be loose-fitting and constructed of woven fabrics (e.g., tight knit cotton or cotton/polyester), non-woven fabrics (e.g., tyvek or sontara), or fabrics containing microporous Teflon.

A safety shower should be located in immediate work area.

**Eye/Face Protection:** Use chemical goggles. If vapor exposure causes eye discomfort, use a NIOSH certified full-face respirator equipped with an organic-vapor cartridge (OV, NIOSH approval number prefix TC-23C) and a particulate pre-filter (Type N, R, P or HE, NIOSH approval number prefix TC-84A) or a gas mask with a canister approved for organic vapor (NIOSH approval number prefix TC-14G).

## Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame.

---

## Directions for Use

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may only be formulated into end-use products that contain the following language on their labeling when they are released for shipment:

**“ENDANGERED SPECIES PROTECTION REQUIREMENTS** *(to be placed at the beginning of the Directions for Use section of all end-use product labels):*

It is a Federal offense to use any pesticide in a manner that results in an unauthorized “take” (e.g., kill or otherwise harm) of an endangered species, and certain threatened species, under the Endangered Species Act section 9. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. You must obtain a Bulletin no earlier than six months before using this product. To obtain Bulletins, consult <http://www.epa.gov/espp/>, call 1-844-447-3813, or email [ESPP@epa.gov](mailto:ESPP@epa.gov). You must use the Bulletin valid for the month in which you will apply the product.”

This product may only be formulated into end-use products that contain the following language on their labeling when they are released for shipment:

**"Reporting Ecological Incidents** *(to be placed in the Environmental Hazards section of all end-use product labels)*: To report ecological incidents, including mortality, injury, or harm to plants and animals, call 1-989-636-4400."

This product may only be formulated into a liquid soil fumigant for the following uses: vineyards. This product may be used to formulate products for specific use(s) not listed on this label if the formulator, user group or grower has complied with U.S. EPA submission requirements regarding the support of such use(s). Consult a company representative for instructions for formulation and other information.

**(Storage and Disposal for refillable rigid containers larger than 5 gal)**

**Storage and Disposal**

Do not ship or store with food, feeds, drugs, or clothing.

**Pesticide Storage:** Store in tightly-closed original container away from dwellings. Prolonged exposure of the container to direct sunlight must be avoided. Do not allow contamination of seeds, plants, fertilizers, or other pesticide chemicals.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide and rinsates is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Because Cordon Technical is corrosive under certain conditions, flush all equipment with fuel oil, kerosene or a similar type of petroleum solvent immediately after use. Fill pumps and meters with new motor oil or a 50% motor oil/fuel oil mixture before storing. **Do not use water.** Dispose of rinsate by applicable Federal, state and local regulations. Never introduce rinsate or unused Cordon Technical into surface or underground water supplies.

**Container Handling:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

**(Storage and Disposal for nonrefillable rigid containers larger than 5 gal)**

---

**Storage and Disposal**

Do not ship or store with food, feeds, drugs, or clothing.

**Pesticide Storage:** Store in tightly-closed original container away from dwellings. Prolonged exposure of the container to direct sunlight must be avoided. Do not allow contamination of seeds, plants, fertilizers, or other pesticide chemicals.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide and rinsates is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Because Cordon Technical is corrosive under certain conditions, flush all equipment with fuel oil, kerosene or a similar type of petroleum solvent immediately after use. Fill pumps and meters with new motor oil or a 50% motor oil/fuel oil mixture before storing. **Do not use water.** Dispose of rinsate by applicable Federal, state and local regulations. Never introduce rinsate or unused Cordon Technical into surface or underground water supplies.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

---

**Warranty Limitations and Disclaimer**

---

Salt Lake Holding LLC warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that Salt Lake Holding LLC will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. Salt Lake Holding LLC EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer acknowledges the use of its own independent skill and expertise in the selection and use of the product and does not rely on any oral or written statements or representations.

In case of emergency endangering health or the environment involving this product, call 1-800-424-9300.

Manufacturing Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 95290-7

EPA Est. \_\_\_\_\_

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

**Produced for  
Salt Lake Holding LLC  
2211 H. H. Dow Way  
Midland, MI 48674**

Net Contents \_\_\_\_ gal

EPA accepted MM/DD/YY

**Registration Review Label Submission**

Submission ID: RRL-81402

**Registration Review Label Submission Information**

Submission Name	Label Amendment for EPA Reg. No. 95290-7
Case Number	0328-1
Case Name	Telone (1,3-D)
Reason for Submitting	Submission of a revised label to incorporate changes required by June 25, 2021, National Marine Fisheries Services (NMFS) Biological Opinions on the effects of 1,3-D on Pacific salmonid.
Initial Submission	Yes
Company Name	SALT LAKE HOLDING LLC
Company Number	95290

**RRL Documents**

Document Type	Contains CBI?	Document Name	Product Registration Number
Form 8570-1 Pesticide Registration/Amendment Application	No	8570-1_forCordonTechnical_95290-7.pdf	95290-7
Submission Cover Letter	No	95290-7 cover letter.docx	
Draft Label	No	95290-7_FPL_CLEAN_Copy_CordonTech-07_25Aug21.docx	95290-7
Draft Label	No	95290-7_FPL_MARKUP_Copy_CordonTech-07_25Aug21.docx	95290-7

**Submitter Information**

Submitter	Oliver Pelz
Submitted Date	08/26/2021

I certify, under penalty of law that the information provided in this document is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.



H1A / Cordon Technical / Amend / 08-25-21

H1A / Cordon Technical / Amend / 08-25-21

## Cordon™ Technical

EPA Reg. No. ~~62719-641~~ 95290-7

### Registration Notes:

**Source label text** based on EPA-accepted text dated March 28, 2011

1. Amended Label in accordance with the June 25, 2021 National Marine Fisheries Services (NMFS) Biological Opinions on the effects of the following pesticides on Pacific salmonids: 1,3-Dichloropropene (1,3-D).
2. Changes to the label to reflect Salt Lake Holding LLC's organizational information, registration numbers, trademark.

™ Trademark of ~~Dow AgroSciences LLC~~ The Dow Chemical Company ("Dow") or an affiliated company of Dow

## Cordon™ Technical

### Soil Fumigant

#### For Manufacturing Use Only

Active Ingredient:	(by weight)
1,3-dichloropropene .....	97.5%
Other Ingredients .....	2.5%
Total .....	100.0%

1 gallon of Cordon Technical weighs 10.15 lb at 70°F. Contains 9.85 lb of 1,3-dichloropropene per gallon.

## WARNING

### First Aid

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. If breathing is difficult, give oxygen. Call a poison control center or doctor for further treatment advice.

**If on skin or clothing:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a poison control center or doctor for treatment advice. If water is not immediately available, remove excess chemical from skin with adsorbent material such as towel or dry soil, then proceed at once to a location where water is available and thoroughly wash contaminated skin with plenty of water. Call a poison control center or doctor for treatment advice.

**If in eyes:** Immediately flush eyes with plenty of water. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-[424-9300992](tel:424-9300992)-5994 for emergency medical treatment information.

**Note to physician:** Because rapid absorption may occur through lungs if product is aspirated and cause systemic effects, the decision to induce vomiting or not should be made by a physician. If lavage is performed, endotracheal and/or esophageal control is suggested. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

##### Hazardous Liquid and Vapor

- Do not breathe vapor. May be fatal if Inhaled. May cause lung, liver, and kidney damage and respiratory system irritation upon prolonged contact.
- Do not swallow any of this product. May be fatal if swallowed.
- Do not get on skin or clothing. May be fatal if absorbed through the skin. Causes skin irritation and if confined skin burns.
- Do not get in eyes. Causes substantial, but temporary eye injury.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove contaminated clothing immediately and launder clothing before reuse. Dispose of items that cannot be decontaminated such as shoes, belts, and watchbands.
- The use of this product may be hazardous to your health. This product contains 1,3-dichloropropene, which has been determined to cause tumors in laboratory animals. Risks can be reduced by exactly following directions for use, precautionary statements, by wearing the personal protective equipment specified in this labeling.

### Personal Protective Equipment (PPE)

**Respiratory Protection:** Maintain atmospheric levels below the NIOSH recommended exposure limit (REL). When NIOSH REL is exceeded, wear a NIOSH approved positive-pressure supplied-air respirator (NIOSH approval number prefix TC-19C). For emergency and other conditions where the NIOSH REL is exceeded by 200 times, use a NIOSH approved positive-pressure self-contained breathing apparatus (NIOSH approval number prefix TC-13F) or positive-pressure airline with auxiliary self-contained air supply (NIOSH approval number prefix TC-13F). In confined or poorly ventilated areas, use a NIOSH approved positive-pressure supplied-air respirator (NIOSH approval number prefix TC-19C).

**Skin Protection:** Use protective clothing impervious to this material. For short-term contact or splash protection against liquid in this product, select specific items such as gloves, boots, apron, or full-body suit constructed of saranex, neoprene, and chlorinated polyethylene provide. For longer-term protection select specific items such as gloves, boots, apron, or full-body suit constructed of viton, Teflon, and EVAL barrier laminates (for example, responder suits manufactured by Life-guard or Silvershield gloves manufactured by North). Where chemical-resistant materials are required, leather, canvas, or cotton materials offer no protection from this product and must not be worn when contact with this product is possible. Coveralls must be loose-fitting and constructed of woven fabrics (e.g., tight knit cotton or cotton/polyester), non-woven fabrics (e.g., tyvek or sontara), or fabrics containing microporous Teflon.

A safety shower should be located in immediate work area.

**Eye/Face Protection:** Use chemical goggles. If vapor exposure causes eye discomfort, use a NIOSH certified full-face respirator equipped with an organic-vapor cartridge (OV, NIOSH approval number prefix TC-23C) and a particulate pre-filter (Type N, R, P or HE, NIOSH approval number prefix TC-84A) or a gas mask with a canister approved for organic vapor (NIOSH approval number prefix TC-14G).

### Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame.

---

### Directions for Use

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may only be formulated into end-use products that contain the following language on their labeling when they are released for shipment:

"ENDANGERED SPECIES PROTECTION REQUIREMENTS (to be placed at the beginning of the Directions for Use section of all end-use product labels):

It is a Federal offense to use any pesticide in a manner that results in an unauthorized "take" (e.g., kill or otherwise harm) of an endangered species, and certain threatened species, under the Endangered Species Act section 9. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. You must obtain a Bulletin no earlier than six months before using this product. To obtain Bulletins, consult <http://www.epa.gov/espp/>, call 1-844-447-3813, or email [ESPP@epa.gov](mailto:ESPP@epa.gov). You must use the Bulletin valid for the month in which you will apply the product."

This product may only be formulated into end-use products that contain the following language on their labeling when they are released for shipment:

**"Reporting Ecological Incidents (to be placed in the Environmental Hazards section of all end-use product labels): To report ecological incidents, including mortality, injury, or harm to plants and animals, call 1-989-636-4400."**

This product may only be formulated into a liquid soil fumigant for the following uses: vineyards. This product may be used to formulate products for specific use(s) not listed on this label if the formulator, user group or grower has complied with U.S. EPA submission requirements regarding the support of such use(s). Consult a company representative Dow AgroSciences for instructions for formulation and other information.

**(Storage and Disposal for refillable rigid containers larger than 5 gal)**

### Storage and Disposal

Do not ship or store with food, feeds, drugs, or clothing.

**Pesticide Storage:** Store in tightly-closed original container away from dwellings. Prolonged exposure of the container to direct sunlight must be avoided. Do not allow contamination of seeds, plants, fertilizers, or other pesticide chemicals.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide and rinsates is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Because Cordon Technical is corrosive under certain conditions, flush all equipment with fuel oil, kerosene or a similar type of petroleum solvent immediately after use. Fill pumps and meters with new motor oil or a 50% motor oil/fuel oil mixture before storing. **Do not use water.** Dispose of rinsate by applicable Federal, state and local regulations. Never introduce rinsate or unused Cordon Technical into surface or underground water supplies.

**Container Handling:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

### (Storage and Disposal for nonrefillable rigid containers larger than 5 gal)

#### Storage and Disposal

Do not ship or store with food, feeds, drugs, or clothing.

**Pesticide Storage:** Store in tightly-closed original container away from dwellings. Prolonged exposure of the container to direct sunlight must be avoided. Do not allow contamination of seeds, plants, fertilizers, or other pesticide chemicals.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide and rinsates is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Because Cordon Technical is corrosive under certain conditions, flush all equipment with fuel oil, kerosene or a similar type of petroleum solvent immediately after use. Fill pumps and meters with new motor oil or a 50% motor oil/fuel oil mixture before storing. **Do not use water.** Dispose of rinsate by applicable Federal, state and local regulations. Never introduce rinsate or unused Cordon Technical into surface or underground water supplies.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

---

**Warranty Limitations and Disclaimer**

---

~~Dow AgroSciences~~Salt Lake Holding LLC warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that~~Dow AgroSciences~~ Salt Lake Holding LLC will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. ~~Dow AgroSciences~~Salt Lake Holding LLC EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer acknowledges the use of its own independent skill and expertise in the selection and use of the product and does not rely on any oral or written statements or representations.

In case of emergency endangering health or the environment involving this product, call 1-800-~~992-5994~~424-9300.

Manufacturing Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. ~~95290-7627~~19-644

EPA Est. \_\_\_\_

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow~~Dow AgroSciences-LLC~~

**Produced for**  
~~Dow AgroSciences LLC~~Salt Lake Holding LLC  
~~9330 Zionsville Road~~2211 H. H. Dow Way  
~~Indianapolis, IN 46268~~Midland, MI 48674

Net Contents \_ gal

EPA accepted ~~MM/DD/YY~~03/28/11

Formatted: Normal, Indent: Left: 0.11"

Formatted: Number of columns: 1, Force equal column width





# Cordon™ Technical

EPA Reg. No. 95290-7

## Registration Notes:

**Source label text** based on EPA-accepted text dated March 28, 2011

1. Amended Label in accordance with the June 25, 2021 National Marine Fisheries Services (NMFS) Biological Opinions on the effects of the following pesticides on Pacific salmonids: 1,3-Dichloropropene (1,3-D).
2. Changes to the label to reflect Salt Lake Holding LLC's organizational information, registration numbers, trademark.

™Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

# Cordon™ Technical

## Soil Fumigant

### For Manufacturing Use Only

Active Ingredient:	(by weight)
1,3-dichloropropene .....	97.5%
Other Ingredients .....	2.5%
Total .....	100.0%

1 gallon of Cordon Technical weighs 10.15 lb at 70°F. Contains 9.85 lb of 1,3-dichloropropene per gallon.

## WARNING

### First Aid

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. If breathing is difficult, give oxygen. Call a poison control center or doctor for further treatment advice.

**If on skin or clothing:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a poison control center or doctor for treatment advice. If water is not immediately available, remove excess chemical from skin with adsorbent material such as towel or dry soil, then proceed at once to a location where water is available and thoroughly wash contaminated skin with plenty of water. Call a poison control center or doctor for treatment advice.

**If In eyes:** Immediately flush eyes with plenty of water. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

**Note to physician:** Because rapid absorption may occur through lungs if product is aspirated and cause systemic effects, the decision to induce vomiting or not should be made by a physician. If lavage is performed, endotracheal and/or esophageal control is suggested. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.

---

### Precautionary Statements

---

#### Hazards to Humans and Domestic Animals

##### Hazardous Liquid and Vapor

- Do not breathe vapor. May be fatal if inhaled. May cause lung, liver, and kidney damage and respiratory system irritation upon prolonged contact.
- Do not swallow any of this product. May be fatal if swallowed.
- Do not get on skin or clothing. May be fatal if absorbed through the skin. Causes skin irritation and if confined skin burns.
- Do not get in eyes. Causes substantial, but temporary eye injury.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

- **Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.**
- **Remove contaminated clothing immediately and launder clothing before reuse. Dispose of items that cannot be decontaminated such as shoes, belts, and watchbands.**
- **The use of this product may be hazardous to your health. This product contains 1,3-dichloropropene, which has been determined to cause tumors in laboratory animals. Risks can be reduced by exactly following directions for use, precautionary statements, by wearing the personal protective equipment specified in this labeling.**

## **Personal Protective Equipment (PPE)**

**Respiratory Protection:** Maintain atmospheric levels below the NIOSH recommended exposure limit (REL). When NIOSH REL is exceeded, wear a NIOSH approved positive-pressure supplied-air respirator (NIOSH approval number prefix TC-19C). For emergency and other conditions where the NIOSH REL is exceeded by 200 times, use a NIOSH approved positive-pressure self-contained breathing apparatus (NIOSH approval number prefix TC-13F) or positive-pressure airline with auxiliary self-contained air supply (NIOSH approval number prefix TC-13F). In confined or poorly ventilated areas, use a NIOSH approved positive-pressure supplied-air respirator (NIOSH approval number prefix TC-19C).

**Skin Protection:** Use protective clothing impervious to this material. For short-term contact or splash protection against liquid in this product, select specific items such as gloves, boots, apron, or full-body suit constructed of saranex, neoprene, and chlorinated polyethylene. For longer-term protection select specific items such as gloves, boots, apron, or full-body suit constructed of viton, Teflon, and EVAL barrier laminates (for example, responder suits manufactured by Life-guard or Silvershield gloves manufactured by North). Where chemical-resistant materials are required, leather, canvas, or cotton materials offer no protection from this product and must not be worn when contact with this product is possible. Coveralls must be loose-fitting and constructed of woven fabrics (e.g., tight knit cotton or cotton/polyester), non-woven fabrics (e.g., tyvek or sontara), or fabrics containing microporous Teflon.

A safety shower should be located in immediate work area.

**Eye/Face Protection:** Use chemical goggles. If vapor exposure causes eye discomfort, use a NIOSH certified full-face respirator equipped with an organic-vapor cartridge (OV, NIOSH approval number prefix TC-23C) and a particulate pre-filter (Type N, R, P or HE, NIOSH approval number prefix TC-84A) or a gas mask with a canister approved for organic vapor (NIOSH approval number prefix TC-14G).

## **Environmental Hazards**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## **Physical or Chemical Hazards**

Combustible. Do not use or store near heat or open flame.

---

## **Directions for Use**

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may only be formulated into end-use products that contain the following language on their labeling when they are released for shipment:

**“ENDANGERED SPECIES PROTECTION REQUIREMENTS** *(to be placed at the beginning of the Directions for Use section of all end-use product labels):*

It is a Federal offense to use any pesticide in a manner that results in an unauthorized “take” (e.g., kill or otherwise harm) of an endangered species, and certain threatened species, under the Endangered Species Act section 9. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. You must obtain a Bulletin no earlier than six months before using this product. To obtain Bulletins, consult <http://www.epa.gov/espp/>, call 1-844-447-3813, or email [ESPP@epa.gov](mailto:ESPP@epa.gov). You must use the Bulletin valid for the month in which you will apply the product.”

This product may only be formulated into end-use products that contain the following language on their labeling when they are released for shipment:

**"Reporting Ecological Incidents** *(to be placed in the Environmental Hazards section of all end-use product labels)*: To report ecological incidents, including mortality, injury, or harm to plants and animals, call 1-989-636-4400."

This product may only be formulated into a liquid soil fumigant for the following uses: vineyards. This product may be used to formulate products for specific use(s) not listed on this label if the formulator, user group or grower has complied with U.S. EPA submission requirements regarding the support of such use(s). Consult a company representative for instructions for formulation and other information.

**(Storage and Disposal for refillable rigid containers larger than 5 gal)**

**Storage and Disposal**

Do not ship or store with food, feeds, drugs, or clothing.

**Pesticide Storage:** Store in tightly-closed original container away from dwellings. Prolonged exposure of the container to direct sunlight must be avoided. Do not allow contamination of seeds, plants, fertilizers, or other pesticide chemicals.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide and rinsates is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Because Cordon Technical is corrosive under certain conditions, flush all equipment with fuel oil, kerosene or a similar type of petroleum solvent immediately after use. Fill pumps and meters with new motor oil or a 50% motor oil/fuel oil mixture before storing. **Do not use water.** Dispose of rinsate by applicable Federal, state and local regulations. Never introduce rinsate or unused Cordon Technical into surface or underground water supplies.

**Container Handling:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

**(Storage and Disposal for nonrefillable rigid containers larger than 5 gal)**

---

**Storage and Disposal**

Do not ship or store with food, feeds, drugs, or clothing.

**Pesticide Storage:** Store in tightly-closed original container away from dwellings. Prolonged exposure of the container to direct sunlight must be avoided. Do not allow contamination of seeds, plants, fertilizers, or other pesticide chemicals.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide and rinsates is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Because Cordon Technical is corrosive under certain conditions, flush all equipment with fuel oil, kerosene or a similar type of petroleum solvent immediately after use. Fill pumps and meters with new motor oil or a 50% motor oil/fuel oil mixture before storing. **Do not use water.** Dispose of rinsate by applicable Federal, state and local regulations. Never introduce rinsate or unused Cordon Technical into surface or underground water supplies.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

---

**Warranty Limitations and Disclaimer**

---

Salt Lake Holding LLC warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that Salt Lake Holding LLC will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. Salt Lake Holding LLC EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer acknowledges the use of its own independent skill and expertise in the selection and use of the product and does not rely on any oral or written statements or representations.

In case of emergency endangering health or the environment involving this product, call 1-800-424-9300.

Manufacturing Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 95290-7

EPA Est. \_\_\_\_\_

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

**Produced for**  
**Salt Lake Holding LLC**  
**2211 H. H. Dow Way**  
**Midland, MI 48674**

Net Contents \_\_\_\_ gal

EPA accepted MM/DD/YY

**Salt Lake Holding LLC**  
2211 H. H. Dow Way  
Midland, MI 48674

August 25, 2021

VIA EPA PSP

Ms. Michelle Nolan  
Chemical Review Manager  
US Environmental Protection Agency  
OSCPP/OPP/PRD/RMIBII  
1200 Pennsylvania Avenue, NW  
Washington, DC 20460-0001

**Re: Label Amendment for EPA Reg. No. 95290-7**

Dear Ms. Nolan:

Enclosed are (1) EPA Form 8570-1 and (2) a revised label (in both 'annotated' and 'clean' versions), for the product referenced above. The revised label incorporates changes required by the June 25, 2021 National Marine Fisheries Services (NMFS) Biological Opinions on the effects of 1,3-D on Pacific salmonid.

In addition, the label includes an update to the EPA registration number, trademark, and organizational information to reflect Salt Lake Holding LLC.

Note that due to inclusion of company information updates to this label, the phrase "and no other changes have been made to the labeling of this product" was removed from the first sentence of the certification statement. This is reflected on the additional page of Form 8570-1.

Please let me know if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Oliver Pelz", with a stylized flourish at the end.

Oliver Pelz  
Global Regulatory Leader Telone